EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	29324	clean$3 with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:49
L3	256	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:50
L4	808	(crosscall$3 or cross call$3 or cross-call$3 or ping$3) with (processor or cpu or processing unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:23
L5	0	3 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:51
L6	17	2 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:53
L7	10	1 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:54
L9	1744	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:08

L10	2	4 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:54
L11	5201	dynamic$4 near3(allocat$5 or assign$3) with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:16
L12	1	dynamic$4 near3 (allocat$5 or assign$3) with (memory or block or chunk) and rins$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:56
L13	9	dynamic$4 near3 (allocat$5 or assign$3) with (memory or block or chunk) with dirty	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:58
L14	12961	(free or unallocat$3 or allocat$3 or deallocat$3 or available or garbage or dirty) adj (table or list or directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:58
L15	4	(free or unallocat$3 or allocat$3 or deallocat$3 or available or garbage or dirty) adj (table or list or directory) and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:59
L17	29	dynamic$4 with (allocat$5 or assign$3) with (memory or block or chunk) with clean$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:04

L18	343	(allocat$5 or assign$3) near6 (memory or block or chunk) with clean$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:05
L19	4	(allocat$5 or assign$3) near6 (memory or block or chunk) with clean$3 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:07
L20	1058	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and (allocat$5 or assign$5) with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:09
L21	204	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic$4 near6 (allocat$5 or assign$5) with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:09
L22	192	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic$4 near6 (allocat$5 or assign$5) near6 (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:09
L23	2	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic$4 near6 (allocat$5 or assign$5) near6 (memory or block or chunk) and (cross call$3 or cross-call$3 or crosscall$3 or ping$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:10
L25	38	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic$4 near6 (allocat$5 or assign$5) near6 (memory or block or chunk) and (clean$3 or dirty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:10

L26	641	(dynamic$4 near3(allocat$5 or assign$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:16
L27	45	(dynamic$4 near3(allocat$5 or assign$3) with (memory or block or chunk)).clm. and I9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:17
L28	83	((crosscall$3 or cross call$3 or cross-call$3 or ping$3) with (processor or cpu or processing unit)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:23
L29	1	((crosscall$3 or cross call$3 or cross-call$3 or ping$3) with (processor or cpu or processing unit)).clm. and (dynamic$4 with (allocat$5 or assign$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:24
L30	3	((crosscall$3 or cross call$3 or cross-call$3 or ping$3) with (processor or cpu or processing unit)).clm. and ((allocat$5 or assign$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:25
L31	3	((crosscall$3 or cross call$3 or cross-call$3 or ping$3) same (processor or cpu or processing unit)).clm. and ((allocat$5 or assign$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:25
L32	8	((crosscall$3 or cross call$3 or cross-call$3 or ping$3) same (processor or cpu or processing unit)).clm. and ((allocat$5 or assign$3) and (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:25

L33	32	((crosscall$3 or cross call$3 or cross-call$3 or ping$3) and (processor or cpu or processing unit)).clm. and ((allocat$5 or assign$3) and (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:26
S1	0	prob$3 with instrumetned program	USPAT	ADJ	ON	2007/06/27 06:41
S12	0	prob$3 with instrumetned program	USPAT	ADJ	ON	2007/06/24 18:15
S13	5	prob$3 with instrumented program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S14	191	instrumented program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S15	5	enabl$4 probe with program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S16	32936	(trac$3 or prob$3) near4 program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S17	10572	((trac$3 or prob$3) near4 program).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S18	0	((trac$3 or prob$3) near4 instrumented program).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15

S19	19	((trac$3 or prob$3) near4 instrumented program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S20	48	(multi processor or multiprocessor) near8 garbage collect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:18
S21	37	(multi processor or multiprocessor) near8 garbage collect$4	USPAT	ADJ	ON	2007/06/24 18:15
S22	1	"6874074".pn.	USPAT	ADJ	ON	2007/06/24 18:15
S23	5	@pd>"20070103" and (S21 or S13 or S15 or S19 or S20)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:19

IEEE Xplore ©
RELEASE 2.3

Advanced Search

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

OPTION 1
Enter keywords or phrases, select fields, and select operators   ? Help

	in All Fields	
AND	in All Fields	
AND	in All Fields	

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression   ? Help

```
dynamic* <sentence> (allocat* or assign*)
<sentence> (memory or block* or chunk*)
```

464 hits

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

    ● Select publications
- ☑ IEEE Periodicals
- ☑ IET Periodicals
- ☑ IEEE Conference Proceedings
- ☑ IET Conference Proceedings
- ☑ IEEE Standards

» **Other Resources** (Available for Purchase)
- ☑ IEEE Books

» **Standard Status**
(Applies to IEEE Standards only)

    Status [All ▼]

» **Select date range**

    ○ Search latest content update (25 Jun 2007)

    ● From year [All ▼]

        to [Present ▼]

» **Display Format**

    ● Citation   ○ Citation & Abstract

» **Organize results**

    Maximum [100 ▼]

    Display [25 ▼] results per page

    Sort by [Relevance ▼]

    In [Descending ▼] order

Help   Contact Us   Privacy & Security   II

Indexed by
Inspec

IEEE Xplore®
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ **Advanced Search**

BROWSE **SEARCH** **IEEE XPLORE GUIDE** **SUPPORT**

OPTION 1
Enter keywords or phrases, select fields, and select operators

? Help

[ ] in All Fields ↕

[AND ▼] [ ] in All Fields ↕

[AND ▼] [ ] in All Fields ↕

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression

? Help

```
dynamic* <sentence> (allocat* or assign*)
<sentence> (memory or block* or chunk*)
and (cross-call* or crosscall* or cross
call*)
                                  0 hits
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

---

» **Publications**

◉ Select publications
  ☑ IEEE Periodicals
  ☑ IET Periodicals
  ☑ IEEE Conference Proceedings
  ☑ IET Conference Proceedings
  ☑ IEEE Standards

» **Other Resources** (Available for Purchase)
  ☑ IEEE Books

» **Standard Status**
  (Applies to IEEE Standards only)
  Status [All ▼]

» **Select date range**
  ○ Search latest content update (25 Jun 2007)
  ◉ From year [All ▼]
  to [Present ▼]

» **Display Format**
  ◉ Citation   ○ Citation & Abstract

» **Organize results**
  Maximum [100 ▼]
  Display [25 ▼] results per page
  Sort by [Relevance ▼]
  In [Descending ▼] order

Indexed by
Inspec®

IEEE *Xplore®*
RELEASE 2.3

Welcome United States Patent and Trademark Office

Advanced Search

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

OPTION 1
Enter keywords or phrases, select fields, and select operators

? Help

[   ] in All Fields ▲▼

[AND ▼] [   ] in All Fields ▲▼

[AND ▼] [   ] in All Fields ▲▼

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression

? Help

```
(allocat* or assign*) <sentence> (memory
or block* or chunk*) and (cross-call* or
crosscall* or cross call* or ping*)

                              22 hits
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

⦿ Select publications

  ☑ IEEE Periodicals

  ☑ IET Periodicals

  ☑ IEEE Conference Proceedings

  ☑ IET Conference Proceedings

  ☑ IEEE Standards

» **Other Resources** (Available for Purchase)

  ☑ IEEE Books

» **Standard Status**
(Applies to IEEE Standards only)

  Status [All   ▼]

» **Select date range**

○ Search latest content update (25 Jun 2007)

⦿ From year [All   ▼]

  to [Present ▼]

» **Display Format**

⦿ Citation   ○ Citation & Abstract

» **Organize results**

Maximum [100 ▼]

Display [25   ▼] results per page

Sort by [Relevance   ▼]

In [Descending ▼] order

Help   Contact Us   Privacy & Security   II

© Copyright 2006 IEEE – All Rights F

Indexed by
ᵯ Inspec®

ACM Search

+abstract:dynamic* +abstract:allocat* +abstract:cross* ... 8 hits

+abstract:dynamic* +abstract:allocat* +abstract:*call* ... 362 hits

+abstract:dynamic* +abstract:allocat* +abstract:*call* +abstract:processor* ... 73
hits

6/27/07